


Lana V

AMDL CIRCLE STUDIO DI
MICHELE DE LUCCHI

Kcal = Watt x 0.860
BTU = Watt x 3.413









Watt Δt 60° = Watt Δt 50° x 1,277
Watt Δt 40° = Watt Δt 50° x 0.741
Watt Δt 30° = Watt Δt 50° x 0.504
Watt Δt 20° = Watt Δt 50° x 0.292

p max = 5.0 bar





[F]

Standard connection / Raccord standard
Standard Anschluss / Conexión estándar





[H]

Special connection / Raccord spéciale
Speziell Anschluss / Conexión especial



Built-in valves
Vanne à encastrer
Einbauventile
Válvulas de empotrar
[CROM] E12VIR






Lana V _ 33

| H cm | L cm | l* cm | art* | Lt* | watt Δt 30° | watt Δt 50° |
|-------|------|-------|---------------------|-----|---------------------|---------------------|
| 99.0 | 33.0 | 5.0 | LANV5099033B | 0.4 | 224 | 444 |
| 132.0 | 33.0 | 5.0 | LANV5132033B | 0.5 | 290 | 576 |
| 165.0 | 33.0 | 5.0 | LANV5165033B | 0.6 | 356 | 707 |
| 198.0 | 33.0 | 5.0 | LANV5198033B | 0.8 | 411 | 815 |

Lana V _ 66

| H cm | L cm | l* cm | art* | Lt* | watt Δt 30° | watt Δt 50° |
|-------|------|-------|---------------------|-----|---------------------|---------------------|
| 99.0 | 66.0 | 33.1 | LANV5099066B | 0.9 | 426 | 844 |
| 132.0 | 66.0 | 33.1 | LANV5132066B | 1.1 | 551 | 1 093 |
| 165.0 | 66.0 | 33.1 | LANV5165066B | 1.4 | 669 | 1 328 |
| 198.0 | 66.0 | 33.1 | LANV5198066B | 1.7 | 772 | 1 532 |

[BASIC]



*The only colours available for this product are/ Les seules couleurs disponibles pour ce produit sont
Die einzigen Farben dieses Modells sind / Los únicos colores disponibles para este radiador son: [BASIC]

Optional




Angled Valve
Vanne équerre
Eckausführung Ventil
Válvula a escuadra

[CROM] **E12SQR**



Thermostatic head
Tête thermostatique
Thermostatkopf
Cabezal termostático


[CROM] **TTR**



$\varnothing \leq 16$ MM
[CROM] **CTR**


16 MM < \varnothing < 24 MM

[CROM] **CWR**



Sleeving kit
Kit couvre tuyau
Rosetten
Kit cubre tubo

[CROM] **C5R**



Towel bar
Porte-serviettes
Handtuchhalter
Porta toallas

[COLOR] **MLNC**







Lana O

AMDL CIRCLE STUDIO DI
MICHELE DE LUCCHI

Kcal = Watt x 0.860
BTU = Watt x 3.413

Watt Δt 60° = Watt Δt 50° x 1,277
Watt Δt 40° = Watt Δt 50° x 0.741
Watt Δt 30° = Watt Δt 50° x 0.504
Watt Δt 20° = Watt Δt 50° x 0.292



p max = 5.0 bar



Reversible radiator
Radiateur réversible
Reversibler Heizkörper
Radiador reversible


[H]

Special connection / Raccord spéciale
Speziell Anschluss / Conexión especial









Built-in valves / Vanne à encastrer
Einbauventile / Válvulas de empotrar

[ROM] E12VIR



[F] Standard connection / Raccord standard
Standard Anschluss / Conexión estándar






Lana O _ 33

| H cm | L cm | l* cm | art* | Lt* | watt Δt 30° | watt Δt 50° |
|------|-------|-------|---------------------|-----|---------------------|---------------------|
| 33.0 | 99.0 | 5.0 | LANOS099033B | 0.4 | 188 | 373 |
| 33.0 | 132.0 | 5.0 | LANOS132033B | 0.5 | 272 | 540 |
| 33.0 | 165.0 | 5.0 | LANOS165033B | 0.6 | 356 | 707 |
| 33.0 | 198.0 | 5.0 | LANOS198033B | 0.8 | 411 | 815 |

Lana O _ 66

| H cm | L cm | l* cm | art* | Lt* | watt Δt 30° | watt Δt 50° |
|------|-------|-------|---------------------|-----|---------------------|---------------------|
| 66.0 | 99.0 | 33.1 | LANOS099066B | 0.9 | 338 | 671 |
| 66.0 | 132.0 | 33.1 | LANOS132066B | 1.1 | 451 | 895 |
| 66.0 | 165.0 | 33.1 | LANOS165066B | 1.4 | 564 | 1 118 |
| 66.0 | 198.0 | 33.1 | LANOS198066B | 1.7 | 676 | 1 342 |

[BASIC]



*The only colours available for this product are/ Les seules couleurs disponibles pour ce produit sont
Die einzigen Farben dieses Modells sind / Los únicos colores disponibles para este radiador son: [BASIC]

Optional




Angled Valve
Vanne équerre
Eckausführung Ventil
Válvula a escuadra

[CROM] **E12SQR**



Thermostatic head
Tête thermostatique
Thermostatkopf
Cabezal termostático


[CROM] **TTR**



$\varnothing \leq 16$ MM
[CROM] **CTR**

16 MM < \varnothing < 24 MM

[CROM] **CWR**





Sleeving kit
Kit couvre tuyau
Rosetten
Kit cubre tubo

[CROM] **C5R**

Lana V

AMD L CIRCLE STUDIO DI
MICHELE DE LUCCHI



Electric with cable / Version électrique avec cable / Elektrische Ausführung mit Kabel / Versión electrica con cable

Lana V EL

| H cm | L cm | art* | watt |
|-------|------|-----------------|------|
| 99.0 | 33.0 | EC LANVS099033B | 300 |
| 132.0 | 33.0 | EC LANVS132033B | 400 |
| 165.0 | 33.0 | EC LANVS165033B | 500 |

*The only colours available for this product are / Les seules couleurs disponibles pour ce produit sont
Die einzigen Farben dieses Modells sind / Los únicos colores disponibles para este radiador son: [BASIC]

[BASIC]



Optional




Receiver
Récepteur
Empfänger
Receptor

R10



Digital chronothermostat
Chronothermostat digital
Der digital Chronothermostat
Cronotermostato digital

T11







Towel bar
Porte-serviettes
Handtuchhalter
Porta toallas

[COLOR] **MLEC**


art* = item / modèle / Artikel / artículo

Lana O

AMDL CIRCLE STUDIO DI
MICHELE DE LUCCHI



Reversible radiator
Radiateur réversible
Reversibler Heizkörper
Radiador reversible




Electric with cable / Version électrique avec cable / Elektrische Ausführung mit Kabel / Versión electrica con cable

Lana O EL

| H cm | L cm | art* | watt |
|------|-------|------------------------|------------|
| 33.0 | 99.0 | EC LANOS099033B | 300 |
| 33.0 | 132.0 | EC LANOS132033B | 400 |
| 33.0 | 165.0 | EC LANOS165033B | 500 |

*The only colours available for this product are/ Les seules couleurs disponibles pour ce produit sont
Die einzigen Farben dieses Modells sind / Los únicos colores disponibles para este radiador son: [BASIC]

[BASIC]



Optional



Receiver
Récepteur
Empfänger
Receptor

R10



Digital chronothermostat
Chronothermostat digital
Digitaler Chronothermostat
Cronotermostato digital

T11